

Web Images Video Maps News Shopping Gmail more ▼

Sign in



XML type schema database tuples annotation

Search

[Advanced Search](#)
[Preferences](#)

Web [Show options...](#) Results 1 - 10 of about 5,270 for **XML type schema database tuples annotation**. (0.27 seconds)

1. [gml parser - GML **Schema**/Microsoft **XML** Parser incompatibility](#)

Oct 29, 2002 ... When we try to load the **schema** into the parser we get the following error: **<annotation>** <documentation> An instance of this **type** (e.g. a ...
<annotation> <documentation> Represents a coordinate **tuple** in one, two, ...
[xsd.stylusstudio.com/2002Oct/post00012.htm](#) - [Cached](#) - [Similar](#)

2. [Mapping between Relational **Database Schema** and OWL Ontology for ...](#)

A relational **database schema** is a **tuple**. (, col, **datatype**, pk, fk, assoc, subof)
choose an **XML** format to represent the mapping data and metadata (e.g., the
DBMS, ... mappings to the semantic **annotation** of **database**-based ...
[ieeexplore.ieee.org/iel5/4061321/4061322/04061430.pdf?isnumber=4061322&prod=CNF&arnumber=4061430&arSt...](#) - [Similar](#)

3. [RFC 4481 \(rfc4481\) - Timed Presence Extensions to the Presence ...](#)

The **XML Schema** Definition The **XML** [4] **schema** [5][6] is shown below. ... <xs:
annotation> <xs:documentation> Describes timed-status **tuple** extensions for PIDF. ...
the PIDF presence document format in the application/pidf+**xml** content **type**. ...
[www.faqs.org/rfcs/rfc4481.html](#) - [Cached](#) - [Similar](#)

4. [SIMPLE H. Schulzrinne Internet-Draft Columbia U. Expires ...](#)

5 5.2 **Schema** Registration for **Schema** urn:ietf:params:**xml**:ns:pidf:cpid' <xs:
annotation> <xs:documentation **xml**:lang="en"> Describes CIPID **tuple** ... the PIDF
presence document format in the application/cpim-pidf+**xml** content **type**. ...
[www.softarmor.com/wgdb/docs/draft-ietf-simple-cpid-01.txt](#) - [Cached](#) - [Similar](#)

5. [./**schema**/gml/3.1.1/base/basicTypes.xsd - tinyows - Trac](#)

90, **<annotation>**. 91, <documentation>Union of the **XML Schema** string **type** and the
GML 250, Defaults to CSV within a **tuple**, space between **tuples**. ...
[https://tinyows.org/trac/tinyows/browser/schema/gml/3.1.1/base/basicTypes.xsd](#)
- [Cached](#) - [Similar](#)

6. [Using RDAL to Express RDF **Database** API Calls in an **XML** Grammar ...](#)

It does not provide and operations for matching **tuples** produced by the namespace
addStatement('\rdf:**type**', object[-1], name, NULL, NULL); predicate[-2]&&! **XML Schema Annotation**. It is not difficult for most **XML schemas** to be ...
www.w3.org/2002/12/26-XMLgrammar2RDFdb/ - [Cached](#) - [Similar](#)

7. [\[ietf-drafts\] Annotation of /simple/schemas/pidf.xsd](#)

2 : <xs:**schema** targetNamespace="urn:ietf:params:**xml**:ns:pidf" ... 16 : <xs:element
name="**tuple**" **type**="tns:**tuple**" minOccurs="0". 17 : maxOccurs="unbounded"/> ...
[https://svn.resiprocate.org/viewsvn/ietf-drafts/simple/schemas/pidf.xsd?](https://svn.resiprocate.org/viewsvn/ietf-drafts/simple/schemas/pidf.xsd?annotate=441&pathrev=441)
[annotate=441&pathrev=441](#) - [Cached](#) - [Similar](#)

8. [SIMPLE H. Schulzrinne Internet-Draft Columbia U. Expires: December ...](#)

The **XML Schema** Definition The **schema** is shown below. ... <xs:**annotation**> <xs:
documentation> Describes timed-status **tuple** extensions for PIDF. ... element in the
PIDF presence document format in the application/pidf+**xml** content **type**. ...
tools.ietf.org/id/draft-ietf-simple-future-04.txt - [Cached](#) - [Similar](#)


9. [From: http://www.informatik.hu-berlin.de/top/pnml/detail.html Date ...](#)

</xs:documentation> </xs:**annotation**> <xs:element name="name" Local Variables:
mode: **xml** End: --> 2.2 Petri Net **Type** Definition **Schema** 2.2.1 Example: ...
<enumeration value="setOf"/> <enumeration value="**tuple**" /> </simpleType> ...
xml.coverpages.org/pnmlSchemaDraft.txt - [Cached](#) - [Similar](#)

10. [cvs commit: **xml**-xerces/java/src/org/apache/xerces/validators ...](#)

Apr 18, 2001 ... is incorrect for **type** {0}"} , + {"AnnotationError", "**Annotation** can
only ... +16 -12 **xml**-xerces/java/src/org/apache/xerces/validators/**schema**/ ...
[mail-archives.apache.org/mod_mbox/xerces-commits/200104.mbox/%](http://mail-archives.apache.org/mod_mbox/xerces-commits/200104.mbox/%3C20010418182350.69290.qmail@apache.org%3E)
[3C20010418182350.69290.qmail@apache.org%3E](#) - [Similar](#)

Tip: These results **do not include** the word "database". [Show results that include "database"](#).



XML type schema database tuples annotation

Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web [Images](#) [Video](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)



Efficient type annotation XML type schema database tuples annotation

Search

[Advanced Search](#)

[Preferences](#)

Web [Show options...](#)

Results 1 - 10 of about 3,140 for Efficient type annotation XML type schema database tuples annotation. (0.20 seconds)

1. Modular Integration of Distinct **Type** Systems for the Compilation ...

XJ augments the standard Java **type** system with an **XML Schema**-based **type** system. ... object code uses these **tuple annotations** to recover the appropriate **type** ...

www.faq.s.org/patents/app/20090055800 - [Cached](#) - [Similar](#)

2. SYSTEM AND METHOD FOR STORING TEXT **ANNOTATIONS** WITH ASSOCIATED ...

The system of claim 3, wherein the **database** comprises a relational **database**. 1
for generating **XML schemas** and **XML** documents from a **type** system and an
object ... **annotations** in a structured data store enabling faster, more **efficient**
value $O_{i,aj}$ is stored in the column $C=\text{column}(T_i, a_{ij})$ of the **tuple** r

www.faq.s.org/patents/app/20090049021 - [Cached](#) - [Similar](#)

3. DB2 goes hybrid: integrating native **XML** and XQuery with relational ...

XNAV provides **efficient** processing of the pattern trees generated by the compiler. ...
The output of this example of an XNAV tree is **tuples** of the id and name ... The **type**
annotations produced by the validation are stored together with the ... then the
database relies on the **XML schemas**, stores **type**-annotated ...

www.entrepreneur.com/tradejournals/article/147666986__7.html - [Cached](#) - [Similar](#)

4. Cover Pages: Multilevel **Annotation**, Tools Engineering (MATE)

Nov 16, 2000 ... The workbench was designed to support the **annotation** of **XML**
coded ... This language returns **tuples** instead of single elements (as in the XSLT
query language). ... This would involve writing a **schema** (DTD or otherwise) for the

Java ... whose **type** is the name of the **XML** element (or #PCDATA for text). ...

xml.coverpages.org/male.html - [Cached](#) - [Similar](#)

5. [A Journey towards More **Efficient** Processing of **XML** Data in \(O\)RDBMS](#)

mapped to a **database schema** R. If the proposed enhanc- ing, i.e. steps 1.a – 1.c, are included, tioned **type** of **annotations** can be used in a situation when a user specifies, e.g., ... [0, 1] and returns a **p-tuple** of their results. ...

ieeexplore.ieee.org/iel5/4385040/4385041/04385051.pdf?arnumber=4385051 - [Similar](#)

by I Mlynkova - 2007 - [Cited by 3](#) - [Related articles](#) - [All 2 versions](#)

6. [\[PDF\] **Efficient Schema**-Based Revalidation of **XML**](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The subsumption of **XML schema types** used in our algorithm for **schema ... type annotations** on nodes. Finally, we consider the notion of disjoint **types** in Repeat Step 3 until no more **tuples** can be removed from the relation R ...

www.research.ibm.com/xj/pubs/edbt.pdf - [Similar](#)

by M Raghavachari - [Cited by 15](#) - [Related articles](#) - [All 9 versions](#)

7. [The Design Space of **Type** Checkers for **XML** Transformation Languages](#)

of **type** may vary from idealizations of DTD to full-blown **XML Schema** Third, devising an **efficient** runtime model for the language is **Annotations**: XOB requires explicit **type annotations** on every **XML** variable declaration. they are generally presented simply as 5-**tuples** with alphabets and transition ...

www.springerlink.com/index/n71bugyaae8dy9eg.pdf - [Similar](#)

by A Møller - [Cited by 34](#) - [Related articles](#) - [All 13 versions](#)

8. [Speech Communication : The MATE workbench – An **annotation** tool for ...](#)

This generality is provided by allowing the use of any **annotation schema** coded in **XML** (Bray et al., which usually use **XML** attributes of **type** ID/IDREF to build 1996) do provide result **tuples** but this feature goes beyond some other **XML** query although Taylor's implementation may be more **efficient**. ...

linkinghub.elsevier.com/retrieve/pii/S0167639300000716 - [Similar](#)

by D McKelvie - 2001 - [Cited by 48](#) - [Related articles](#)

9. Hibernate Annotations

Hibernate **Annotations** support out of the box Enum **type** mapping either removal are **efficient**, more than one EAGER bag per query or per entity. There are two high-level **types** of Tuplizers, represented by the org.hibernate.**tuple**. ... So if you know the **annotations** structure, using the **XML schema** will be ...

docs.jboss.org/hibernate/stable/annotations/reference/en/html_single/

- [Cached](#) - [Similar](#)


10. Mailing list archives

... why not make this more **efficient** by simply returning the conditional's value? ... is incorrect for **type** {0}" "AnnotationError", // 26, "**Annotation** can only ... attValue && 1.4 +2 -1 **xml**-xerces/java/src/org/apache/xerces/validators/ ... for the **Schema** validator *

The messages are arranged in key and value **tuples** ...

[mail-archives.apache.org/mod_mbox/xerces-commits/200012.mbox/%](mailto:mail-archives.apache.org/mod_mbox/xerces-commits/200012.mbox/%3C20001214175132.26012.qmail@locus.apache.org%3E)

3C20001214175132.26012.qmail@locus.apache.org%3E - [Similar](#)



Efficient type annotation XML type schema database tuples annotation

Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web [Images](#) [Video](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)



Efficient type annotation XML type schema database tuples annotation without v

Search

[Advanced Search](#)
[Preferences](#)

Web [Show options...](#) Results 1 - 10 of about 2,080 for **Efficient type annotation XML type schema database tuples annotation without validation.** (0.29 seconds)

1. [DB2 goes hybrid: integrating native XML and XQuery with relational ...](#)

The output of this example of an XNAV tree is **tuples** of the id and name bindings of the ... The **type annotations** produced by the **validation** are stored together with the ... If **validation** is used, then the **database** relies on the **XML schemas**, ... access to **schemas** is required for **efficient validation** in **XML** insert, ...

www.entrepreneur.com/tradejournals/article/147666986_7.html - [Cached](#) - [Similar](#)

2. [\[PDF\] Efficient Schema-Based Revalidation of XML](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

type annotations on nodes. Finally, we consider the notion of disjoint **types** in Repeat Step 3 until no more **tuples** can be removed from the relation R runtime, an **efficient** algorithm for **schema cast validation without** ...

www.research.ibm.com/xj/pubs/edbt.pdf - [Similar](#)

by M Raghavachari - [Cited by 15](#) - [Related articles](#) - [All 9 versions](#)

3. [The Design Space of Type Checkers for XML Transformation Languages](#)

Third, devising an **efficient** runtime model for the language is **Annotations:** XOB requires explicit **type annotations** on every **XML** variable declaration. ... Full **XML Schema validation** is left as a runtime feature. ... they are generally presented simply as 5-tuples with alphabets and transition functions. ...

www.springerlink.com/index/n71bugyaae8dy9eg.pdf - [Similar](#)

by A Møller - [Cited by 34](#) - [Related articles](#) - [All 13 versions](#)

4. [XQuery 1.0: An XML Query Language](#)

A **schema type** can be used as a **type annotation** on an element or attribute node No **validation** is performed on the constructed document node. The return clause of a FLWOR expression is evaluated once for each **tuple** in the

However, this might not be the most **efficient** way to process the query if the ...

www.w3.org/TR/xquery/ - [Cached](#) - [Similar](#)

5. Speech Communication : The MATE workbench – An **annotation** tool for ...

This generality is provided by allowing the use of any **annotation schema** coded in **XML** (Bray et which usually use **XML** attributes of **type** ID/IDREF to build 1996)

do provide result **tuples** but this feature goes beyond some other **XML** query to provide documentation and to allow **validation** of stylesheets. ...

linkinghub.elsevier.com/retrieve/pii/S0167639300000716 - [Similar](#)

by D McKelvie - 2001 - [Cited by 48](#) - [Related articles](#)

6. Hibernate **Annotations**

You may use a combination of all three together, **annotations without** EJB3

Hibernate **Annotations** support out of the box Enum **type** mapping either There are two high-level **types** of Tuplizers, represented by the org.hibernate.tuple. ... So if you know the **annotations** structure, using the **XML schema** will be ...

docs.jboss.org/hibernate/stable/annotations/reference/en/html_single/

- [Cached](#) - [Similar](#)

7. Updating **XML** Documents **without** Breaking Their Validity

as Document **Type** Definitions (DTDs) or **XML-Schemas**. An **XML** document is considered valid if it conforms to ... It classifies **validation** of **XML** documents according to two updated part position is located by using a novel **annotation** extends. **XML**-RL. [11]. - Relational **database** with annotated **tuples**. -insert ...

ieeexplore.ieee.org/iel5/4545573/4545574/04545638.pdf - [Similar](#)

by J Dargham - 2008 - [Related articles](#) - [All 4 versions](#)

8. **XML** Support in Microsoft SQL Server 2005

The XQuery **type** system is aligned with that of W3C **XML schema types**. It can represent customer data, with or **without XML schemas** that describe the data.

The **XML** instance is rejected if it fails this **validation**. To store this data and later retrieve it, the sql:overflow **annotation** can be used. ...

msdn.microsoft.com/en-us/library/ms345117.aspx - [Cached](#) - [Similar](#)

9. lxml changelog

Parse-time **XML schema validation** (**schema** parser keyword). ... Compilation --

without-threading was buggy in alpha5/6. **XML** feed parser setup problem; **Type**

annotation for unicode strings in DataElement() XMLDTDID function parses **XML** into **tuple** (root node, ID dict) based on **xml:id** implementation of libxml2 ...


codespeak.net/xml/changes-2.0.1.html - [Cached](#) - [Similar](#)

10. [\[PDF\] Oracle XML DB vs. IBM DB2 XML Extender](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Native **XML** Data **Type**. Yes. No. **XML Schema** Integrated in **database** Users can 'annotate' **XML Schemas** to direct specific layouts of storage, or ... Preservation of the **XML** Document Object Model: The **tuples** in a ... Oracle **XML** DB is more **efficient** for **XML** storage and materialization and as a ...

www.oracle.com/technology/tech/xml/xmldb/9.2.0.2.0/IBMDB2.PDF - [Similar](#)

Google 
1 2 3 4 5 6 7 8 9 10 [Next](#)

Efficient type annotation XML type schema database tuples annotation without validation - Google Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web [Images](#) [Video](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)



Efficient type annotation XML type schema database tuples annotation without v

Search

[Advanced Search](#)

[Preferences](#)

Web [Show options...](#) Results **11 - 20** of about **2,080** for **Efficient type annotation XML type schema database tuples annotation without validation.** (0.27 seconds)

1. [Mailing list archives](#)

... SchemaMessages.java Log: **Schema** attribute **validation** patch from Neil Graham, ... is incorrect for **type** {0}" "AnnotationError", // 26, "**Annotation** can only ... attValue && 1.4 +2 -1 **xml-xerces/java/src/org/apache/xerces/validators/** ... for the **Schema** validator * The messages are arranged in key and value **tuples** ...
[mail-archives.apache.org/mod_mbox/xerces-commits/200012.mbox/%3C20001214175132.26012@gmail@locus.apache.org%3E](mailto:3C20001214175132.26012@gmail@locus.apache.org%3E) - [Similar](#)

2. [Proceedings Template - WORD](#)

Implementing **XML Schema** inside a 'Relational' **Database** ... The **XML Schema type** system is rich enough to address ... **annotations** or text which has irregular structure.) In addition,. **XML ... tuples** in a relational system have to inherent ordering. semantics are enforced during **schema validation**. These are ...
www2003.org/cdrom/papers/alternate/P284/p284.pdf - [Similar](#)
 by S Banerjee - [Cited by 3](#) - [Related articles](#)

3. [\[PDF\] On the Path to Efficient XML Queries](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
without XML schemas, but differ in their implementation and scope of functionality. **type**, taking into consideration the node's **type annotation** derived during **validation**. **schemas**, all element nodes will have the **type annotation** like **tuples** in a relational **database**, but enriched with nest- ...
www.vldb.org/conf/2006/p1117-balmin.pdf - [Similar](#)
 by A Balmin - 2006 - [Cited by 4](#) - [Related articles](#)

4. [\[PDF\] ShreX: Managing XML Documents in Relational Databases](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Database. Mapping. Repository. Mapping API. **Validating** Parser ... **type** NUMBER(4).

Although not illustrated in the exam- ... **XML Schema** for **annotations** [1]. Validity checks include ... an **XML Schema** without any user input. It is worthy of ... **XML** document against the annotated **Schema**. **Tuples** are ...

www.cs.utah.edu/~juliana/pub/shrex-vidb2004.pdf - [Similar](#)
by F Du - 2004 - [Cited by 24](#) - [Related articles](#)

5. [Bitstream Syntax Description Language: Application of XML Schema ...](#)

Notably, the W3C language XSLT [7] is an **efficient** way to specify Firstly, most **schema** components contain an xsd:**annotation**, which itself contains ... child elements of a parent element have no **type** assigned by the **schema**. ... **XML-Schema** defines a **datatype** as a 3-**tuple** consisting of (see section 2.1 of [12]): ...

www2002.org/CDROM/alternate/334/ - [Cached](#) - [Similar](#)

6. [Yannis Papakonstantinou](#)

Until 2004 or so I maintained **annotations** on the publications. ... query may need to be assembled by joining **tuples** from multiple relations. this observation ... A QSS is embedded in a WSDL specification to form a specialized **type** of web ... (Talk in ppt) We investigate the incremental **schema validation** of **XML** data ...

db.ucsd.edu/People/yannis/annotatedBiblio.htm - [Cached](#) - [Similar](#)

7. [\[PDF\] Automatic capture and efficient storage of e-Science experiment ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

parameters -m 12 and -q → reslice version 5 **without** parameters To sum up, the benefits a multilayered model can bring are explanation, **validation**, insight ... This leads to an obvious question what **database schema** is best suited for This approach allows indexing of **annotations** based on **annotation type**. ...

twiki.ipaw.info/pub/Challenge/FirstChallengeCCPEPapersPreview/redux_microsoft_research_pc1.pdf - [Similar](#)
by RS Barga - [Cited by 25](#) - [Related articles](#) - [All 4 versions](#)

8. [\[PPT\] www.stanford.edu/class/cs345b/slides/XMLDB-M12-Sta...](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

Tree pattern matching => **tuple** bindings (i.e. relations) Parallel **Database** Systems: The Future of High string + **type annotation** -> value-based; value + **type annotation** ... No **Schema Validation** (no „“). BeginDocument() Structural Joins: A Primitive for **Efficient XML** Query Pattern Matching, ...

[Similar](#)

9. [LNCS 4690 - Incremental **Validation** of String-Based **XML** Data in ...](#)

is memory **efficient**: unlike DOM-based approaches we do not load the full **XML** ... well for native **XML database** management systems where the tree-like ... **without** a stack.

The approaches for **XML** stream/string **validation** that rely Grust, T., Klinger, S.:

Schema validation and **type annotation** for encoded trees. ...

[www.springerlink.com/index/4143645925452314.pdf](#) - [Similar](#)

by BC Hammerschmidt - 2007 - [Related articles](#)

10. [\[pdf\] Building a Scalable Native **XML Database** Engine on Infrastructure ...](#)


File Format: PDF/Adobe Acrobat - [View as HTML](#)

To SQL, **XML** is just a new data **type** with a more complex namespace and attribute order adjusted, and optionally with **type annotation** if a document is **Schema-**

validated. ... generator technique is used for **XML schema validation**. As The

scalability of **database** systems largely relies on the **efficient** ...

[www.ximeco.org/Xime/BuildingScalableNativeXMLDbZhang.pdf](#) - [Similar](#)



Efficient type annotation XML type schema database tuples annotation without v

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web [Images](#) [Video](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)



Efficient type annotation XML type schema database tuples annotation without v

Search

[Advanced Search](#)

[Preferences](#)

Web [Show options...](#) Results **21 - 30** of about **2,070** for **Efficient type annotation XML type schema database tuples annotation without validation.** (0.31 seconds)

1. [\[PDF\] bdbms – A Database Management System for Biological Data](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

database system, it loses effective and **efficient** manageabil- quest propagating a certain **type** of **annotations**. To drop an ... **tuples** represent the Y-axis. In this case, an **annotation** over can follow a predefined **XML schema** that needs to be modules and **without** modifying the **database** engine. The ...

www.cidrdb.org/cidr2007/papers/cidr07p22.pdf - [Similar](#)

by MYEMO Walid - [Related articles](#) - [All 6 versions](#)

2. [Open Source System for Analyzing, **Validating**, and Storing Protein ...](#)

We have designed a **database schema** to serve as both an extension and a The indexing for objects contained in a Spectrum object used a **tuple** of four For example, the **annotation** of the *S. cerevisiae* genome predicts many open use an XIAPE-**type** system to provide useful **validation** information about the ...

pubs.acs.org/doi/abs/10.1021/pr049882h - [Similar](#)

by R Craig - 2004 - [Cited by 116](#) - [Related articles](#) - [All 4 versions](#)

3. [IBM SJ 45-2 | DB2 goes hybrid: Integrating native **XML** and XQuery ...](#)

Apr 27, 2006 ... The output of this example of an XNAV tree is **tuples** of the id and name ... DB2 supports optional **XML schema validation** of documents during ... The **type annotations** produced by the **validation** are stored These new **XML types** enable the **database** to be more **efficient** and to supply a richer API. ...

<https://www.research.ibm.com/journal/sj/452/beyer.html> - [Cached](#) - [Similar](#)

by K Beyer - [Cited by 12](#) - [Related articles](#) - [All 8 versions](#)

4. [Be Architect](#)

need to write code explicitly to map **database** tables **tuples** to application ... Language

(independent from **type** of **database**) that is expressed in a familiar SQL XDoclet

Annotations used to support Attribute Oriented **Schema** creation from object

model 7. What is the need for Hibernate **xml** mapping file? ...

barchitect.blogspot.com/ - [Cached](#) - [Similar](#)

5. [BioMed Central | Full text | Corpus **annotation** for mining ...](#)

In this paper, we focus on a new **type** of **annotation**, event **annotation**, Although

the actual corpus file with **annotation** is encoded in **XML** (C), ... These terms are

expressed as n-tuples of attribute-value pairs as follows: by these Ids in

subsequent **annotations**, are indispensable for **efficient annotation**. ...

[www.biomedcentral.com/1471-2105/9/10](#) - [Cached](#) - [Similar](#)

by JD Kim - 2008 - [Cited by 20](#) - [Related articles](#) - [All 5 versions](#)

6. [\[PPT\] Swift Fast, Reliable, Loosely Coupled Parallel Computation](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

+ **Efficient** execution on distributed resources ... DFDL [Beckerle, Westhead04]

embeds **annotations** with **XML Schema** ... XDTM as data model and **type** system;

Typed dataset and procedure definitions ACTIVAL: Neural Activation **Validation**

by threads that exchange messages in the form of **tuples** to synchronize. ...

[www.mcs.anl.gov/~itf/Talks/Swift%20July%202007.ppt](#) - [Similar](#)

7. [Hibernate **Annotations** Reference Guide CP03 FP01](#)

Next, choose Search > Find... from the Character Map menu bar, **type** the name of the

character in You may use a combination of all three together, **annotations without**

EJB3 Use Hibernate Validator **annotations** to refine the **database schema**

generation. ... A unique constraint is applied to the **tuple** month, day. ...

[www.redhat.com/docs/en-US/JBoss_Enterprise_Application_Platform/4.3.0.cp03_fp01/](#)

[html-single/...Annotations.../index.html](#) - [Cached](#) - [Similar](#)

8. [lxml changelog](#)

Crash when using iterparse() with **XML Schema validation**. **XML** feed parser setup

problem; **Type annotation** for unicode strings in DataElement() ... tag name

validation to generate namespace prefixes **without** declaring namespaces. **XML**

into **tuple** (root node, ID dict) based on **xml:id** implementation of libxml2 ...

[codespeak.net/lxml/changes-2.0.3.html](#) - [Cached](#) - [Similar](#)

9. [In Relation To... Everyone](#)

Without it, you will only be able to browse this website but clicking on Isn't it nice to just be able to have an attribute of **type** Duration Anyone's favorite programming language can understand sets of **tuples** of primitive values. ... **database schemas** as ongoing projects of real value to the organization, ...

blog.hibernate.org/Bloggers/Everyone/Year/2007/Month/05/Day/23 - [Cached](#) - [Similar](#)

10. [PDF] [The Impact of XML on Databases and Data Sharing](#)

File Format: PDF/Adobe Acrobat


Validation. XML documents can be associated with a Document **Type ... XML**

Schema. XML DTDs were intended originally for document management and “JP-1”, born 9/9/69), should a police automobile-check view consider the **tuples** to refer to the **annotations.** XML also makes it easy to return a set of alternative ...

www.mitre.org/work/tech_papers/tech_papers_00/seligman_impact/seligman.pdf

- [Similar](#)

by L. Seligman - [Cited by 11](#) - [Related articles](#) - [All 9 versions](#)



Efficient type annotation XML type schema database tuples annotation without validation - Google Search

Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web [Images](#) [Video](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)



Efficient type annotation XML type schema database tuples annotation without v

Search

[Advanced Search](#)

[Preferences](#)

Web [Show options...](#) Results **31 - 40** of about **2,070** for **Efficient type annotation XML type schema database tuples annotation without validation.** (0.39 seconds)

1. [IT620 Course Project: An attempt to benchmark the XML capabilities ...](#)

Apr 16, 2003 ... **XMLType** is a native server data-**type** that allows the **database** to understand ... such as **schema validation** and XSL transformations to be performed on **XML** content. ... If one does not specify any **annotations** to the **XML Schema** to it was being entered into one **tuple (XMLType)** of a relational table. ...

www.it.iitb.ac.in/~chetanv/personal/acads/NTIT/project/report/report_html/index.html

- [Cached](#) - [Similar](#)

2. [\[PDF\] XML's Impact on Databases and Data Sharing](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

No data **validation** capabilities. HTML does not ... the structure in nontabular data explicit, **database tech-** ... ance, for **XML** components—**schemas**, elements, attributes, document **type** definitions, automobile-check view consider the **tuples** to refer to attaching such **annotations**, **XML** makes it easy to ...

xml.coverpages.org/Rosenthal-IEEE-XML.pdf - [Similar](#)

by L. Seligman - 2001 - [Cited by 75](#) - [Related articles](#)

3. [Data & Knowledge Engineering : Interoperability mapping from XML ...](#)

The **XML schema** (XSD) formalism uses the concept of **type** as its basic mechanism to These **annotations** are intended to document the ER model so that no information This "**type** update" is not common with standard **database types**, ... [30], in which edges in **XML** document trees are stored as relational **tuples**. ...

linkinghub.elsevier.com/retrieve/pii/S0169023X05001102 - [Similar](#)

by G Della Penna - 2006 - [Related articles](#) - [All 5 versions](#)

4. [\[PDF\] Hibernate Annotations](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

er, **annotations without** EJB3 programming interfaces and lifecycle, Hibernate **Annotations** support out of the box Enum **type** mapping either in- **annotations** structure, using the **XML schema** will be straightforward for you. to the **database** (insert or update), the entity is validated. **Validation** er- ...

docs.jboss.org/hibernate/stable/annotations/reference/en/pdf/hibernate__annotations.pdf - [Similar](#)

5. [Efficient Revalidation of XML Documents](#)

then by applying the subsumption mapping to these **type annotations**, Our abstraction of **XML Schema**, Abstract **XML Schema**, is a 4-tuple, (Σ, T, ρ, R) , where Our method for the **efficient validation** of a string $s = s$ for **XML types**," in Proceedings of 8th International Conference on **Database Theory** ...

ieeexplore.ieee.org/iel5/69/26794/1011091kde20071004.pdf - [Similar](#)

by M Raghavachari - 2007 - [Related articles](#)

6. [\[PDF\] Automatic Generation of XML DTDs from Conceptual Database Schemas](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

validating XML parsers and thus simplifies exchange of Each strong entity **type E** of the ER **schema** is trans- lated into an **XML** element of the same name E in the imal redundancy are obtained since each **tuple** occurs only of that entity **without** additional **annotations** (e. g. at- ...

dbs.uni-leipzig.de/webdb/wien/015.pdf - [Similar](#)

by C Kleiner - 2001 - [Cited by 33](#) - [Related articles](#)

7. [\[PDF\] Influences on the design of XQuery](#)

File Format: PDF/Adobe Acrobat

in a relational **database**, and in **XML** the metadata is distributed creation of an ordered stream of **tuples**, and iteration over these **tuples** to assigned their **type annotations** by the process of **schema validation**. The An ideal language would be both deterministic and **efficient** in execution. ...

ptgmedia.pearsoncmg.com/imprint_downloads/informit/chap2_0321180607.pdf

- [Similar](#)

8. [Corpus annotation for mining biomedical events from literature](#)

In this paper, we focus on a new **type** of **annotation**, event **annotation**, These terms are expressed as n-tuples of attribute-value pairs as follows: In particular, we found Cross **Validation** between event and term classes very lds in subsequent **annotations**, are indispensable for **efficient annotation**. ...

www.pubmedcentral.nih.gov/articlerender.fcgi?pmid=16182099 - [Similar](#)

9. Hibernate Annotations

You may use a combination of all three together, **annotations without** The EJB3 spec requires that you declare **annotations** on the element **type** There are two high-level **types** of Tuplizers, represented by the org.hibernate.tuple. ... So if you know the **annotations** structure, using the **XML schema** will be ...

www.scribd.com/doc/6746371/Hibernate-Annotations?page=42 - [Cached](#) - [Similar](#)

10. Schema for Object-oriented XML

XML offers the Document **Type** Definition (DTD) as a formalism for defining ...

Therefore, a **schema** facility is required to enable **XML validation** and ... SOX documents, as compared with **XML** DTDs, should enable more **efficient** A version of this example **without annotations** is available in a non-normative appendix. ...

www.w3.org/TR/1998/NOTE-SOX-19980930/ - [Cached](#) - [Similar](#)

◀ G o o o o o o o o o o o o o o o o g l e ▶
[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)

Efficient type annotation XML type schema database tuples annotation without validation - Google Search

Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)


Page Not Found.

We're sorry, but the Web address entered is invalid.

Suggestions

- Ensure URL contains the correct spelling, capitalization and identification numbers for publication, issue or article number.
- Return to the [IEEE Xplore](#) home page and search or browse for your content.
- Contact [Technical Support](#).

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

Indexed by


© Copyright 2009 IEEE - All Rights Reserved